# SAFETY DATA SHEET

# 1. Identification

**Product number** 1000009124

**Product identifier Terand-52315 Brakeparts Cleaner** 

**Company information** 

1000 INTEGRAM DRIVE

PACIFIC, MO 63069 United States

General Assistance 800-327-1835 Company phone

1-866-836-8855 **Emergency telephone US Emergency telephone outside** 1-952-852-4646

US

01 Version # Recommended use

Cleaner None known.

# 2. Hazard(s) identification

**Recommended restrictions** 

Physical hazards Category 1 Flammable aerosols Category 2A Health hazards Serious eye damage/eye irritation Sensitization, skin Category 1

Specific target organ toxicity, single exposure Category 3 narcotic effects

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Extremely flammable aerosol. May cause an allergic skin reaction. Causes serious eye irritation. **Hazard statement** 

May cause drowsiness or dizziness.

**Precautionary statement** 

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open Prevention

flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection/face

protection. Wear protective gloves.

If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable Response for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from Storage

sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

**Environmental hazards** Hazardous to the aquatic environment, acute Category 3

Hazardous to the aquatic environment, Category 3

long-term hazard

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Product name: Terand-52315 Brakeparts Cleaner 1 / 11

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name Common name and synonyms		CAS number	%	
Acetone		67-64-1	60 - 80	
Methyl Acetate		79-20-9	10 - 20	
Carbon Dioxide		124-38-9	2.5 - 10	
Xylene		1330-20-7	2.5 - 10	
n-Heptane		142-82-5	1 - 2.5	
d-Limonene		5989-27-5	0.1 - 1	
Other components below repor	table levels		2.5 - 10	

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth. Ingestion

Most important May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an symptoms/effects, acute and

allergic skin reaction. Dermatitis. Rash.

delayed Provide general supportive measures and treat symptomatically. Keep victim under observation. Indication of immediate Symptoms may be delayed. medical attention and special

Ensure that medical personnel are aware of the material(s) involved, and take precautions to General information protect themselves. Wash contaminated clothing before reuse.

#### 5. Fire-fighting measures

treatment needed

Suitable extinguishing media Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media

Specific hazards arising from Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed. the chemical

Firefighters must use standard protective equipment including flame retardant coat, helmet with Special protective equipment

face shield, gloves, rubber boots, and in enclosed spaces, SCBA. and precautions for firefighters Move containers from fire area if you can do so without risk. Containers should be cooled with Fire fighting water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose equipment/instructions

holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Use water spray to cool unopened

containers. In the event of fire and/or explosion do not breathe fumes.

General fire hazards Extremely flammable aerosol.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Specific methods

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Product name: Terand-52315 Brakeparts Cleaner Product #: 1000009124 Version #: 01 Issue date: 07-12-2018

# Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

### Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

# Conditions for safe storage, including any incompatibilities

Level 2 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

Value

# 8. Exposure controls/personal protection

#### Occupational exposure limits

Components

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Type

Components	туре	value	
Acetone (CAS 67-64-1)	PEL	2400 mg/m3	
		1000 ppm	
Carbon Dioxide (CAS 124-38-9)	PEL	9000 mg/m3	
		5000 ppm	
Methyl Acetate (CAS 79-20-9)	PEL	610 mg/m3	
		200 ppm	
n-Heptane (CAS 142-82-5)	PEL	2000 mg/m3	
		500 ppm	
Xylene (CAS 1330-20-7)	PEL	435 mg/m3	
		100 ppm	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	
	71		
	STEL	500 ppm	
Acetone (CAS 67-64-1)		• •	
Acetone (CAS 67-64-1)  Carbon Dioxide (CAS	STEL	500 ppm 250 ppm 30000 ppm	
Acetone (CAS 67-64-1)  Carbon Dioxide (CAS	STEL TWA	250 ppm 30000 ppm	
Acetone (CAS 67-64-1)  Carbon Dioxide (CAS 124-38-9)  Methyl Acetate (CAS	STEL TWA STEL	250 ppm	
Acetone (CAS 67-64-1)  Carbon Dioxide (CAS 124-38-9)  Methyl Acetate (CAS	STEL TWA STEL TWA	250 ppm 30000 ppm 5000 ppm	
Acetone (CAS 67-64-1)  Carbon Dioxide (CAS 124-38-9)  Methyl Acetate (CAS 79-20-9)	STEL TWA STEL TWA STEL	250 ppm 30000 ppm 5000 ppm 250 ppm	
Acetone (CAS 67-64-1)  Carbon Dioxide (CAS 124-38-9)  Methyl Acetate (CAS 79-20-9)	STEL TWA STEL TWA STEL	250 ppm 30000 ppm 5000 ppm 250 ppm 200 ppm 500 ppm	
Acetone (CAS 67-64-1)  Carbon Dioxide (CAS 124-38-9)  Methyl Acetate (CAS 79-20-9)  n-Heptane (CAS 142-82-5)	STEL TWA STEL TWA STEL TWA STEL	250 ppm 30000 ppm 5000 ppm 250 ppm 200 ppm 500 ppm 400 ppm	
Acetone (CAS 67-64-1)  Carbon Dioxide (CAS 124-38-9)  Methyl Acetate (CAS 79-20-9)	STEL TWA STEL TWA STEL TWA STEL TWA STEL TWA	250 ppm 30000 ppm 5000 ppm 250 ppm 200 ppm 500 ppm	

Product name: Terand-52315 Brakeparts Cleaner

US. NIOSH: Pocket Guide to Chen Components	nical Hazards Type	Value	
Acetone (CAS 67-64-1)	TWA	590 mg/m3	
,		250 ppm	
Carbon Dioxide (CAS 124-38-9)	STEL	54000 mg/m3	
, in the second		30000 ppm	
	TWA	9000 mg/m3	
		5000 ppm	
Methyl Acetate (CAS 79-20-9)	STEL	760 mg/m3	
,		250 ppm	
	TWA	610 mg/m3	
		200 ppm	
n-Heptane (CAS 142-82-5)	Ceiling	1800 mg/m3	
, ,	J	440 ppm	

# **Biological limit values**

ACGIH Biological Expos Components	Value	Determinant	Specimen	Sampling Time
Acetone (CAS 67-64-1)	25 mg/l	Acetone	Urine	*
Xylene (CAS 1330-20-7)	1.5 g/g	Methylhippuric acids	Creatinine in urine	*

<sup>\* -</sup> For sampling details, please see the source document.

#### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

350 mg/m3 85 ppm

#### Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove **Hand protection** 

supplier.

Other Wear appropriate chemical resistant clothing.

If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an Respiratory protection

air-supplied respirator.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

TWA

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not

be allowed out of the workplace.

# 9. Physical and chemical properties

**Appearance** 

Physical state Gas. Aerosol. **Form** Color Not available. Odor Not available. Not available. **Odor threshold** Not available. Hq Melting point/freezing point Not available.

Initial boiling point and boiling

range

115.11 °F (46.17 °C) estimated

5.8 °F (-14.6 °C) estimated Flash point

Product #: 1000009124 Version #: 01 Issue date: 07-12-2018

Product name: Terand-52315 Brakeparts Cleaner

Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

2.6 % estimated

(%)

Flammability limit - upper

(%)

13.2 % estimated

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

Vapor pressure 80 - 100 psig @70F estimated

Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

844.05 °F (451.14 °C) estimated **Auto-ignition temperature** 

**Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

**Explosive properties** Not explosive.

Heat of combustion (NFPA

30B)

24.75 kJ/g estimated

Oxidizing properties Not oxidizing. Percent volatile 90.9 % estimated Specific gravity 0.38 estimated

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Strong acids. Acids. Strong oxidizing agents. Nitrates. Aluminum. Halogens. Incompatible materials

No hazardous decomposition products are known. Hazardous decomposition

products

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be

Skin contact May cause an allergic skin reaction. Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms related to the Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an physical, chemical and allergic skin reaction. Dermatitis. Rash.

toxicological characteristics

Information on toxicological effects

**Acute toxicity** Narcotic effects. May cause an allergic skin reaction.

Product name: Terand-52315 Brakeparts Cleaner

Components	Species	Test Results
cetone (CAS 67-64-1)		
<u>Acute</u>		
Dermal		<b>-</b>
LD50	Guinea pig	> 7426 mg/kg, 24 Hours
		> 9.4 ml/kg, 24 Hours
	Rabbit	> 7426 mg/kg, 24 Hours
		> 9.4 ml/kg, 24 Hours
Inhalation		
LC50	Rat	55700 ppm, 3 Hours
		132 mg/l, 3 Hours
		50.1 mg/l
Oral		
LD50	Rat	5800 mg/kg
		2.2 ml/kg
-Limonene (CAS 5989-27-5)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg
ethyl Acetate (CAS 79-20-9)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Inhalation		
LC100	Rabbit	98.4 mg/l, 4 Hours
Oral		
LD50	Rat	6482 mg/kg
Heptane (CAS 142-82-5)		
<u>Acute</u>		
Dermal	D-lib.	0000
LD50	Rabbit	> 2000 mg/kg, 24 Hours
Inhalation	D-4	00.00//. 411
LC50	Rat	> 29.29 mg/l, 4 Hours
Oral	Det	F000
LD50	Rat	> 5000 mg/kg
ylene (CAS 1330-20-7)		
<u>Acute</u> Dermal		
LD50	Rabbit	> 5000 ml/kg, 4 Hours
2200	, wood	12126 mg/kg, 24 Hours
Inholotic		12120 Hg/kg, 24 Hours
Inhalation LC50	Rat	5922 ppm, 4 Hours
	паі	Jazz ppili, 4 nouis
<b>Oral</b> LD50	Mouse	5251 mg/kg
LDJU		
	Rat	3523 mg/kg
		10 ml/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Risk of cancer cannot be excluded with prolonged exposure. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

d-Limonene (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans. 3 Not classifiable as to carcinogenicity to humans. Xylene (CAS 1330-20-7)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Components in this product have been shown to cause birth defects and reproductive disorders in

laboratory animals.

Specific target organ toxicity single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. **Chronic effects** 

# 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Components		Species	Test Results
Acetone (CAS 67-64-	1)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	21.6 - 23.9 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	4740 - 6330 mg/l, 96 hours
d-Limonene (CAS 598	39-27-5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours
Methyl Acetate (CAS	79-20-9)		
Aquatic			
Algae	IC50	Algae	120.0001 mg/L, 72 Hours
Crustacea	EC50	Daphnia	1026.7 mg/L, 48 Hours
Fish	LC50	Fathead minnow (Pimephales promelas)	295 - 348 mg/l, 96 hours
n-Heptane (CAS 142-	82-5)		
Aquatic			
Fish	LC50	Mozambique tilapia (Tilapia mossambica)	375 mg/l, 96 hours
Xylene (CAS 1330-20	-7)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	7.711 - 9.591 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Acetone	-0.24
d-Limonene	4.232
Methyl Acetate	0.18

Product name: Terand-52315 Brakeparts Cleaner

Product #: 1000009124 Version #: 01 Issue date: 07-12-2018

Partition coefficient n-octanol / water (log Kow)

n-Heptane 4.66 Xylene 3.12 - 3.2

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

# 14. Transport information

DOT

UN number UN1950

**UN proper shipping name** Aerosols, flammable, (each not exceeding 1 L capacity)

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions N82
Packaging exceptions 306
Packaging non bulk None
Packaging bulk None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking.

IATA

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards No. ERG Code 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

Packaging Exceptions LTD QTY

**IMDG** 

UN number UN1950 UN proper shipping name AEROSOLS

Product #: 1000009124 Version #: 01 Issue date: 07-12-2018

#### Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

**Environmental hazards** 

Marine pollutant No. EmS F-D, S-U

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Packaging Exceptions
Transport in bulk according to
Annex II of MARPOL 73/78 and

Not applicable.

LTD QTY

Annex II of MARPOL 73/78 and the IBC Code

DOT



IATA; IMDG



### 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Acetone (CAS 67-64-1) Listed. Xylene (CAS 1330-20-7) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes Delayed Hazard - No

Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

Product name: Terand-52315 Brakeparts Cleaner
Product #: 1000009124 Version #: 01 Issue date: 07-12-2018

SARA 313 (TRI reporting)

 Chemical name
 CAS number
 % by wt.

 Xylene
 1330-20-7
 2.5 - 10

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Xylene (CAS 1330-20-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Acetone (CAS 67-64-1) 6532

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Acetone (CAS 67-64-1) 35 %WV

**DEA Exempt Chemical Mixtures Code Number** 

Acetone (CAS 67-64-1) 6532

#### US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Acetone (CAS 67-64-1) Xylene (CAS 1330-20-7)

**US. Massachusetts RTK - Substance List** 

Acetone (CAS 67-64-1)

Carbon Dioxide (CAS 124-38-9) Methyl Acetate (CAS 79-20-9) n-Heptane (CAS 142-82-5)

Xylene (CAS 1330-20-7)

US. New Jersey Worker and Community Right-to-Know Act

Acetone (CAS 67-64-1)

Carbon Dioxide (CAS 124-38-9)

Methyl Acetate (CAS 79-20-9)

n-Heptane (CAS 142-82-5)

Xylene (CAS 1330-20-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Acetone (CAS 67-64-1)

Carbon Dioxide (CAS 124-38-9)

Methyl Acetate (CAS 79-20-9)

n-Heptane (CAS 142-82-5)

Xylene (CAS 1330-20-7)

#### **US. Rhode Island RTK**

Acetone (CAS 67-64-1)

Xylene (CAS 1330-20-7)

# **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Acetaldehyde (CAS 75-07-0)

Benzene (CAS 71-43-2)

Ethyl Benzene (CAS 100-41-4)

Listed: April 1, 1988

Listed: February 27, 1987

Listed: June 11, 2004

US - California Proposition 65 - CRT: Listed date/Developmental toxin

 Benzene (CAS 71-43-2)
 Listed: December 26, 1997

 Methanol (CAS 67-56-1)
 Listed: March 16, 2012

 Toluene (CAS 108-88-3)
 Listed: January 1, 1991

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

Benzene (CAS 71-43-2) Listed: December 26, 1997

Product name: Terand-52315 Brakeparts Cleaner
Product #: 1000009124 Version #: 01 Issue date: 07-12-2018

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

**Issue date** 07-12-2018

Version # 01

**Disclaimer** We cannot anticipate all conditions under which this information and its product, or the products of

other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written

based on the best knowledge and experience currently available.

Revision information Product and Company Identification: Alternate Trade Names

Product name: Terand-52315 Brakeparts Cleaner sps us

Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).